


AMENDMENTS TO THE CLAIMS


1. (Original) A fungicidal mixture for controlling phytopathogenic harmful fungi, which mixture comprises

- 1) the triazolopyrimidine derivative of the formula I



and

- 2) a phenylamidine derivative of the formula II



in which the variables are as defined below:

R^1 is hydrogen, C_1 - C_8 -alkyl, C_2 - C_8 -alkenyl or C_2 - C_8 -alkynyl which are unsubstituted or may be substituted by one to three groups R^a :

R^a is halogen, C_1 - C_8 -alkoxy, C_1 - C_8 -haloalkoxy, C_1 - C_8 -alkylthio or phenyl which may be substituted by halogen, C_1 - C_8 -alkyl, C_1 - C_8 -haloalkyl, C_1 - C_8 -alkoxy, C_1 - C_8 -haloalkoxy or C_1 - C_8 -alkylthio;

R^2, R^3 may be identical or different and are hydrogen, cyano, C_1 - C_8 -alkyl, C_2 - C_8 -alkenyl, C_2 - C_8 -alkynyl, C_1 - C_8 -alkoxy, C_1 - C_8 -alkoxyalkyl, benzyloxy or C_1 - C_8 -alkylcarbonyl which are unsubstituted or may be substituted by one to three groups R^a ;

R^4 is hydrogen, C_1 - C_8 -alkyl, C_2 - C_8 -alkenyl or C_2 - C_8 -alkynyl which are unsubstituted or may be substituted by one to three groups R^b ;

R^b is one of the groups mentioned under R^a , cyano, $C(=O)R^c$, $C(=S)R^c$ or $S(O)_pR^c$,

R^c is C_1 - C_8 -alkyl, C_1 - C_8 -haloalkyl, C_1 - C_8 -alkoxy, C_1 - C_8 -haloalkoxy, C_1 - C_8 -alkylthio, amino, C_1 - C_8 -alkylamino, di(C_1 - C_8 -alkyl)amino or phenyl which may be substituted by halogen, C_1 - C_8 -alkyl, C_1 - C_8 -haloalkyl, C_1 - C_8 -alkoxy, C_1 - C_8 -haloalkoxy or C_1 - C_8 -alkylthio;

m is 0 or 1;

R^5 is one of the groups mentioned under R^4 ;

A is a direct bond, -O-, -S-, NR^d , CHR^e or $-O-CHR^e$;


R^d, R^e are one of the groups mentioned under R^a ;

R^6 is phenyl or a five- or six-membered saturated, partially unsaturated or aromatic heterocycle which contains one to four heteroatoms from the group consisting of O, N or S, where the groups R^6 are unsubstituted or may be substituted by one to three R^f :

R^f is one of the groups mentioned under R^b or
amino, C_1 - C_8 -alkylamino, di(C_1 - C_8 -alkyl)amino, C_1 - C_8 -haloalkyl, C_1 - C_8 -alkoxyalkyl, C_2 - C_8 -alkenyloxyalkyl, C_2 - C_8 -alkynyloxyalkyl, C_1 - C_8 -alkylcarbonyloxy- C_1 - C_8 -alkyl, cyanooxy- C_1 - C_8 -alkyl, C_3 - C_6 -cycloalkyl or phenoxy, where the cyclic groups may be substituted by halogen, C_1 - C_8 -alkyl, C_1 - C_8 -haloalkyl, C_1 - C_8 -alkoxy, C_1 - C_8 -haloalkoxy or C_1 - C_8 -alkylthio;

in a synergistically effective amount.

2. (Original) The fungicidal mixture according to claim 1 comprising, as phenylamidine derivative, a compound of the formula IIA



in which the variables are as defined below:

R^2, R^3 are methyl and ethyl;

R^4, R^5 are methyl;

R^f, R^{ff} are halogen, alkyl and haloalkyl.

3. (Original) The fungicidal mixture according to claim 1 or 2 comprising the compound of the formula I and the compound of the formula II in a weight ratio of from 100:1 to 1:100.
4. (Currently amended) A composition comprising a liquid or solid carrier and a mixture according to ~~any of claims 1 to 3~~ claim 1.
5. (Currently amended) A method for controlling phytopathogenic harmful fungi which comprises treating the fungi, their habitat or the seed, the soil or the plants to be protected against fungal attack with an effective amount of the mixture of compound I and the compound II according to claim 1.

6. (Currently amended) The method according to claim 5, wherein the mixture of compounds I and II ~~according to claim 1~~ are ~~is~~ applied simultaneously, that is jointly or separately, or in succession.
7. (Currently amended) The method according to ~~claims 5 or 6~~ claim 5, wherein the mixture of compounds I and II ~~according to claim 1 or the mixtures according to any of claims 1 to 3~~ are ~~is~~ applied in an amount of from 5 g/ha to 1000 g/ha.
8. (Currently amended) The method according to ~~any of claims 5 to 7~~ claim 5, wherein the mixture of compounds I and II ~~according to claim 1 or the mixture according to any of claims 1 to 3~~ are ~~is~~ applied in an amount of from 1 to 1000 g/100 kg of seed.
9. (Currently amended) Seed comprising the mixture according to ~~any of claims 1 to 3~~ claim 1 in an amount of from 1 to 1000 g/100 kg.
10. (Original) The use of the compounds I and II according to claim 1 for preparing a composition suitable for controlling harmful fungi.
11. (New) The method according to claim 6, wherein the mixture of compounds I and II is applied in an amount of from 5 g/ha to 1000 g/ha.

12. (New) The method according to claim 6, wherein the mixture of compounds I and II is applied in an amount of from 1 to 1000 g/100 kg of seed.
13. (New) The method according to claim 7, wherein the mixture of compounds I and II is applied in an amount of from 1 to 1000 g/100 kg of seed.